



Co 11.36
(4) B

ACADEMY

NAT. SCI.

PHILA.

MS. 56 #15

Alexander Mac Elvce, Junr.
815 North 45th Street.
West Phila., Pa.

Sept. 1893

Parquate

"

— Plants, trees and
stones we note


Birds, insects, beasts and
many rural things "

Journal of a Naturalist

36 22

Powellton, Ave

conversation. His clest m-



Forked River

Ocean County, N. Jersey

Club trip Sat. Sep 2nd 93

to Monday Sep. 4th

Round trip \$2.70

Left Pier 8. Reading R.R.

this morning at 8. A.M.
The only one there was Stewardson Brown. We were surprised at not finding Joe Crawford there.

Among the passengers was a young man with a ^{rather} suspicious face and ^{rather} suspicious who we did not know. We observed him for some time quite finally. We ^{proved to be} acquainted with him. His name is C. F. Saunders. 307

Walnut St. We had a very pleasant and interesting conversation. His desti-

1

ation was Azion N. J.
so that our routes lay
together for some distance.
He related an account of
a very interesting trip
last summer to Lynville
North Carolina, and also
many other places.

At Winslow Junction we
changed trains and ~~proceed~~
proceeded north on the
N. Jersey Southern R.R.
at Manchester we changed
again on to the Bangor
Branch. Arrived at
Forked River we had
some trouble about the
^{being} in doubt as to the one the
hotels there are several
motel clubs had agreed upon
houses here. We finally

pitched on the Lafayette
kept by Asa G. Tilton.
Before dinner Stew. and
I took a stroll around
we are now in the hotel
office or sitting room,
awaiting for dinner
at least I am waiting
very anxiously.

5.30 P.M. We had a
very good dinner. After
dinner we went down ~~to~~
toward the bay to a wild
crabbing bog. Here we found
some good things, the most
important of which was the
long looked for *Schizaea*
pusilla. Hew found it by
accident, while putting
something in his pocket. He
noticed the tiny frond.

between the two parts of his plic as it lay open in the bog, he called to me and on searching further we found plenty of it; abundance I might ~~say~~ ^{every} where. Of course you have to go down on your hands and knees and search closely, before you can discover the tiny plants. In the course of our wandering over the bog and across the many channels which are cut through to drain it we came across an oyster boat a small flat bottomed affair. we got aboard and helped ourselves to salt oysters, of which there was a considerable pile. There

were also some very fine
dams but they were too
tough, rather hard I guess
to digest. Having satisfied
ourselves we returned to
the hotel.

9 P.M. After supper
we went down to the
station and strolled around
while waiting for the train
which was due at 7.20.

The river at the railroad
here, widens out consider-
able forming a sort of a
lake. In the middle of
this lake and in fact
throughout the whole of it
are stumps of trees, show-
ing that where the water
is now several feet deep
was once a wood and

that the land has sunken,
 I noticed this more
 particularly since reading
 Charles Knisley's ^{"Town Geology"}
 last week. This book is
 more or less of an argument
 throughout, and he reasons
 everything fairly. We
 remarked to-day for instance
 the rich sphagnum moss
 in some of the cedar swamps
 and on digging down into
 the vegetable mold, reasoned
 and talked of this forming
 first peat, then coal as
 ages went on and it got
 more and more **buried**.

So with this lake
 as the surrounding woods
 consist chiefly of cedar

with luxuriant sparganium
and other plants at their
base, probably the same
as the one at the point.

In the course of time the
river would wash
sand and mud over
this. I say would, I
ought to say is doing it
and will continue doing
it until perhaps several
feet of a deposit formed
then maybe the land
will rise again, and
vegetation will clothe it
as before. Thus our road
and other roads are being
down layer upon layer.
We read and study them
in books, but these
flatter and more

vivid is it shown in
 the great book of nature.
 In due time the train
 arrived. There were a
 goodly number of passengers
 but we did not see
 any botanists, at least
 no folio and other
 paraphernalia of the
^{bird} profession, hobby or
 study. We were disappoint-
 -ed of course. There
 are a number of hotels here
 and each had a coach at
 the station and each was
 filled with expected guests
 but apparently no botanists.
 The Lafayette Hotel were
 assigned to our quarters.
 It is on the second floor

and is a large well ven-
tilated room. It is tolerably
well furnished having
two double beds, Bureau
with mirror, wash stand
and two toilet sets, two
chairs, 2 rocking chairs
and a small table. The
floor is carpeted with
rug-carpet, etc etc.

Everything is comfortable
and what is more important
clean.

I straightened out
my plants which I collected
this afternoon, and then
sorted up my notes. There,
has just come in, and re-
marked in a jocular manner
that I was still at my
journal!

Sept. 3. 93,

Hotel office. B. Hall
This morning we had
breakfast at 6.30 A.M.
There were over 15 guests
at table, and the woman
waiting said that 21 had
already had their breakfast
and had gone to the fish-
ing grounds.

We studied a copy
of the topographical map
of this section which is hang-
ing in the office and we
tried to explain the salt
marshes on the north bank
of the north branch of the
Tombigbee river.

When we saw the marshes
we found that they had

been met ^{over} pretty well over
for long. We found *Sua-*
scidia maritima, *Plant-*
ago maritima, also another
Plantago, *Loa perlesensis*
etc. etc. but all more
or less stunted and
destroyed by the moving
mashers. We returned
inland further up,
at one place we found
a white form of *Sua-*
scidia, with pure
white flowers.

Further on in a piece
of meagre ground we
found *Salix* *capitata*
also abundant
of *Vicia lanceolata*.
In fact, I went
to an orchard near

after some apples and when
 I returned I searched
 the woods. I called several
 times but hearing no
 reply I gave up and returned
 to the hotel. It was now
 1/2 to 12. As I got to the
 end of the woods near
 the point where we
 entered the salt marsh
 I spied two ruffs.
 When we came up
 we proceeded at a
 good pace stopping once
 in a while to pick up
 specimens and reached
 the hotel in time for
 dinner.

There were only four
 at the table. Later

difference from the
crowd here this morn-
ing.

After dinner we
went up towards the
station and there was
a field past what we
might call a day
farm. This consisted
of small square enclos-
ures surrounded by a high fence
or stockade, many of
which numerous dogs
were chained up, each
to a separate post.

They were mostly English
Irish and Chinese
and some pointers.

There were several str-
ades. The noise made
by the barking of the
canines was deafening.

Above the lake at the
narrow end along the river
were almost impenetrable
beaver swamp.
above that a cultivated
cranberry bog. Then another
beaver swamp succeeded
by a lake.

We made our way to the
cranberry bog, and found
it to be very rich but
in berries only. I never
saw so many cran-
berries before. Bushells
upon bushells of them.

There not being much
in the center. So now
I decided to separate
each taking a side of
the bog and exploring

along until we met at
the upper end. We
found several things
among which was a
+ *Utricularia*. We
then made our way
through the burrens
to the north of the second
when ascending until we
reached the upper lake.

This we found to be full of
Brontium aquaticum. we
followed the path at the
lower end and came to a
saw mill. here we met
an old fellow, who after
a short conversation invited
us to have a drink of cider.

He had been making some
and set us before a sort
of a tub under the mill
and helped us to drink
we drank several glasses


of it. We followed the road south of the river until we came to the lower end of the lower lake. Here we cut across and entered the hotel yard at the rear. It was now near 6. P. M. and had just time to wash and comb when the supper bell rang. Nearly all the guests were at the table and filled the long dining room.

After supper we followed the Burnegat road to where the R. R. crosses it, about 1 mile below the hotel. Prospecting as we went along. We found a Solidago with

closely appressed leaves
in the ~~swamp~~ at the R.R.
crossing. It was now
pitch dark and we decided
to return. I missed my
knife, and remembered
to have left it at a spot
where we stopped at the
lower lake. I'll get out
there in the morning and
try to find it. It is now
near 9 P.M. and time to
turn in.

9

vicinity of
Torked River, N. Jersey



scale

1 inch to 1 mile.

Locality explored Sept. 4.
1893 east of R. R.
and south of the North
Branch to the bay. to
Oyster creek.

Sept. 6. 1893.

When I got up at about 6. A.M. ~~Before breakfast~~ I immediately hurried over to the south end of the lake to where I had put in my last specimens and searched in vain for my knife. Where I had left it was too conspicuous for any one to have passed it without seeing it.

I got back to the hotel just as the breakfast bell rang.

After breakfast I went to the Hardware - Grocery - dry-goods - and General merchandise store and purchased a strong black knife for 45 cents.

This is a most import-

-ant tool a botanist requires. Without it, you feel lost. you do not care to go anywhere. You would just as soon be without your plant Press.

Before starting out I took a short sketch, or rather copy of that part of the topographical map which we intended to work. ~~I~~

We followed the Barnegat turnpike S. to the R.R. crossing then along the R.R. to Oyster creek. Working our way through the bays along the edge of the cedar swamp on the north bank, we struck a road and followed it past a prosperous looking

farmhouse. and out onto
the salt marshes.

By the way. we were
surprised at the state
of the farm houses all
around this section.

Although the fields are
very barren and poor look-
ing yet the houses ~~seem~~
to be ^{with one or two solitary exceptions} very comfortable
and kept in excellent
repair. Those farms North
of the North branch are more
fertile looking.

In this neighbor hood
we found *Piptaria*—
(species in a bunched form—
ing ^{great} ~~first~~ thought it
was elevated banks) great
clumps. or groves. 8. to 10
feet high. further on
Rostk. & Schmidt. Virginia

were flowering in abundance
intermingled with Hibiscus
moscheutos (Swamp rose-
mallow) We also collected
some scirpus etc.

But the mosquitos were
fearful. At every step
dense clouds rose from
the damp sedges and grasses
settling on our clothes and
faces and hands; stinging
and drilling with their
sharp angus ^{through the cuticle} and pumping
blood as if their very
lives depended on how soon
they could get enough.

When the wind blowed
they were not so bad
but even then they would
land on the windward

side of us, then would we
suffer. To protect ourselves
we make ~~the~~ hoods
out of our handkerchiefs
by tying two corners to-
gether and putting it
over our heads and tying
the other two ^{corners} under our
chin, turned our coat-
collars up put our
hats on and stuck our
hands as deep into our
pockets as possible. By
this arrangement we
left only the eyes ~~and~~
mouth exposed.

Not finding much more
we cut across the N. E.
pt. of the barriers to the
marshes S. of the South
Branch. There we seen one

12

one plant of the White
Gerardia purpurea.

Working our way west
we struck a road which
led to a bridge across the
South branch. We were
thus fortunate as we
had expected to have gone
all the way to the RR
and crossed the bridge there.

We explored the ~~marsh~~
marsh at the end of this
pininsula and were fortun-
ate in finding *Gerardia*
maritima, *Polygonum*
maritimum, *Statice*,
Salicornia and many
others. We were sorely
tempted to take a ruin
here, but the land

bucye had whipped up
the water and washing
the soft peaty, muddy
banks, had made the
water rather dirty.

We were fortunate again in
finding another bridge across
the Middle branch. There
were some farms here
and we took especial
care to sample the orchard
as we passed, putting in
supplies of apples and grapes.

We were now on the
peninsula between
the North and south
branches and further
north than we wanted
to go. as we wished to
examine the pine swamp
at the R.R. crossing.

and accordingly made
our way thither.

On Saturday when we
found Schizaea. Steu
said that it was usually
associated with a Lycopodium
or club-moss, which grew
plentifully thereabouts.

When we got to the
pine swamp we noticed
the Lycopodium, and
immediately began searching, and we were both
rewarded by finding plenty
of the little fern among
the lichens and sphagnum
on small hillocks
throughout the swamp.

We both satisfied
having found the

prize the first thing
on Saturday. and the
last on Sunday. and
cared not ^{for} what else
we might find.

I think and Stev.
thinks the same that
this plant is not as rare
as it is said to be. but
being so small it is
very difficult to detect.

There will always be
plenty of it where we
found it on Saturday.

Returning along the
R.R. we noticed

Sarracenia purpurea
(pitcher plant) in great
abundance. Especially
along the edge of the Red
swamps. There the flowers

14
flowering scapes were
bunched together as thick
as they could be. Some of
the pitches were very large,
being over nine inches
deep. I procured several
specimens.

We reached the hotel
about 12. noon.

I might also record
that *Hudsonia ericoides*
and *H. tomentosa* were
abundant in the bairns
in this section. One spot
in the prairie between
Chiddle and South branches
we found *H. tomentosa*
covering a field of more
than 2 acres.

After dinner we gathered

our trip together and
waited around the office
conversing with a Dr.
Witchell a young Phila.
(Jefferson college) physician
who apparently has a
good practice here. and
John S. Tilden the genl
son and business manager
of our host. It developed
that John Murray, the
founder of the Universalist
church in America
came out from England
and was wrecked of
the ~~Barney~~ at coast in
1770. He landed at this
point and built ~~the~~
with his own hands
a church just a short
distance above the hotel

We saw it as we
passed up, from the
train, it is a plain
structure, with high
peaked gables. The gable
and walls were colored
red. I think they were
brick. They must be,
because John C. said
that it was over an hun-
dred years old, and is
the identical church
which the "Father of American
Universalism" built.

From this point the
society spread and
found a firm root in
the New England states
which is its stronghold
yet. All these facts

agree with the record.

We were driven down to the station in time for the 2.46 P.M. train for ~~the City~~ Manchester.

At Manchester I done a little botanizing.

We reached the city without further incident about 7.05 P.M. and

I got home a little before 8. After supper

I began to put away my stuff and got through about 1 A.M.

I have nearly 160 sheets of specimens representing about 150 species. This is the largest haul I have made in one trip yet. The exact number of new species collected I will not know until I work them up.

16
The Hotel people were
very nice. None of that
"wondering what the hell
you're going to do with
these weeds" sort of
people. All seemed to
be courteous and intel-
ligent. From John S.
who directed us to
the best spots in the
quickest manner. Way,
to the stable man
who volunteered the
information that we'd
find plenty of sweet
hay in the meadows
below."

7/5/93

Sept. 2nd 1891

- 1 *Bartonia tenella*, Muhl.
- 2 *Habenaria missouriensis* Spang.
- 3 *Rhynchospora alba*, Balil.
- 4 *Andropogon Virginicus*, L.
- 5 *Rhynchospora capillacea* Torr?
- 6 *Juncus marginatus*, Rostk.
- 7 *Helianthus angustifolius*, L.
- 8 *Narthecium Americanum*
- 9 *Galunagrostis Nuttalliana*? Steud.
- 10 *Oryzium Virginianum*
- 11 *Lephiola aurea* ~~Hemadococcus~~ Torr.
- 12 *Tiedmannia rigida*, Benth. & Hook.
- 13 *Schizoclea pusilla*, Pursh
- 14 *Eupatorium serotinum* Torr.
- 15 *Carex trichosperma*, Willd.
- 16 *Phlox maculata*, L.
- 17 *Cyperus vulgaris*, Torr.
- 18 *Penstemon alba*, L.
- 19 *Xyris Caroliniana* Walt.
- 20 *Habenaria tricolorata*, Hook.

147

Fabred River N. J. Sept 3. 1892

- 11 Woodwardia virginica, L.
22 Eupatorium perfoliatum, L.
23 Solidago rugosa. Mill.
24 Panicum sanguinale, L.
25 Paspalum leue Michx.
26 Eryngium yuccifolium, Mill.
27 Quercus coccinea, Wang.
28 Oenothera fruticosa, L.
29 Viola lanceolata.
30 Proserpinaca palustris L.
31 " pectinacea, Lam.
32 Hypericum virgatum, Lam.
33 Lachnanthes trictoria, Ell.
34 Galium aparine, L. var.
35 Polygala lutea L.
36 Gerardia purpurea L.
37 " " var. alba.
38 Spiranthes cernua, Reichenb.
39 Sagittaria variabilis Engelm.
40 Penanthemum aristatum, Michx.
41 Cassia chamaecrista L.

- 42 *Helianthus autumnale* L.
 43 *Discopleura capillacea* HB.
 44 *Hydrocotyle umbellata*, L.
 45 *Eupatorium rotundifolium* L.
 46 *Iva frutescens* L.
 47 *Glodes campanulata* Pers.
 48 *Plantago maritima* L.
 49 *Helianthus corymbosus*, L.
 50 *Eupatorium hyssopifolium*, L.
 51 *Juncus Canadensis*, L.
 52 *Gulichium spathaceum* Pers.
 53 *Amaranthus albus* L.
 54 *Pinus mitis*, L.
 55 *Cyperus (Nuttallii) Torr.*
 56 *Solidago stricta* Nutt.
 57 " *speciosa*, Nutt. ?
 58 *Lepedoxa violacea* Pers.
 59 *Hydrocotyle tomentosa*, L.
 60 *Grandia quinifolia*, Nutt.
 61 *Acalypha Virginia* L.
 62 *Solidago nemoralis*, Nutt.
 63 *Gasandra corymbulata*, Torr.

Forbes River (L.) 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000

- 64 *Aster nemoralis*, Sib.
65 " *umbellatus*, Willd.
66 *Drosera filiformis*, Raf.
67 *Utricularia gibba*, L.?
68 " *corniculata*, Michx.
69 *Magnolia glauca*, L.
70 *Eriophorum virginicum*, L.
71 " *virginicum*, L.
72 *Hieracium Marianum*, Willd.
73 *Glycyphora obtusum*, Walt.
74 *Liatris spicata*, Willd.
75 *Cicuta maculata*, Linn.
76 *Polygala cruciata*, L.
77 *Solidago stricta*, Walt.?
78 " *spicata*, L.
79 *Lysimachia stricta*, Walt.?
80 *Vaccinium corymbosum*, Linn.
81 *Aster spectabilis*, Sib.!!
82 *Saxifraga stans*, Michx.
83 *Woodwardia virginica*, Smith.
84 *Arenaria caroliniana*, L.
continued on page 47. of other note book

~~Volcanism on Buckle Cr.
Pa. Sat. Sept 16th to Mon
Sept 18. by myself.~~

~~From New York to St. Louis
Round trip. \$4.84.~~

West Phila.

Sat. afternoon
Sept. 16th 73

I took a ramble this after-
noon as far as the Belmont
circuit club at 49th station
thence across to 56th. It was
my object now to get leaves
and fruit of trees and other
plants collected earlier in
the season. I got 3 species
of *Quercus*. on 56th it was
one of which I. *Phellos* was
rather hard to reach so that

to be content with a spring
 on soil. On one of the volcanic
 fields, near 30 N. Baltimore
 Ave. is a large spot where
 sods had been cut off last
 spring. I notice that all
 this spot, (and it is quite
 extensive,) a thick crop of
atambroia artemisiifolia
 (Roman worm wood) has
 sprung. It is rather remark-
 able. This land has not
 I suppose been turned under
 by the plough for years.

There are one of two other
 things among it, but the
atambroia predominates
 where the sod has been
 cut off, growing densely
 to a uniform height of
 7 or 8 inches.

In many cultivated fields further on. I noticed plenty of it. But it is not so commonable in such situations.

Specimens collected

- 1 Hieracium
- 2 Chenopodium
- 3 Oxalis.
- 4 grass.
- 5 Lonicera vulgaris.
- 6 Polygonum arifolium
- 7 Xanthium strumarium?
- 8 Alnus serrulata
- 9 Polygonum
- 10 Euphorbia viscosissima
- 11 Juncus
- 12 —
- 12 — fl. lvs.
- 13 Liquidambar styraciflua
- 14 Rosa
- 15

- 16 *Asplenium*
- 17 *Asplenium triphyllum* var. *fruct.*
- 18
- 19 *Hypericum nudicaule*
- 20 *Datura stramonium* L.

Sunday Sept. 17 1893
Holly Beach N. C. May Co.
Laying in Wildwood & Angleros.
2000 ft. above the sea level.
In the hills above the mountains.
Laying Goldsmith. 1893.
The summit of the range
rains these last three days
I descended the mountain
top for another week. The
mountain is still dry
and the weather is

at the station for collecting
at the station last
Tuesday for station and
the rest of the day to go
to Wilkeson. I thought
I'd go to the day 4 for
my pleasure.

Specimens collected.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Five mile Bench. 4.7.9/17/93

15

16

17

18

19

20

Lippia lanceolata, Shiley,
which we found in great
abundance at Holly beach.
has its distribution described
in Gray's Manual. as E. Penn.
to Ohio, and southwards.
In the catalogue of plants of
N. Jersey by W. L. Britton in
the State Geological report the
only locality given is waste
ground Federal St wharf
Camden, Parker.

I collected it at Milledune
last Sept. 1892.

I did not look for it there
this year. but less than
a mile south of it
at Holly beach, it is
very plentiful. East of the
station.

22

I noticed when examining
the flowers of *Iva frutescens*
collected at Forked river, had
so that the inside of the scales
of the involucre had a shining
green and apparently (?) wet
appearance. When tasted
it had a very bitter principle.

Sat, Sept 23rd 1892
Board A, en route to
W. K. A. M. I. X. & M. P. A.
from Board St. 12. N.
fare for 2 days \$2.70.

Hockinson Bluffs

I am sitting now (Sept 23rd)
under the shelter of a large
ledge at the base of the bluffs.
Unfortunately at this season
in the rain and snow

passing from down
back again to you

the old country from the south
west to the north

now down which we
descended last spring and
when we found *Hydrophora*
bulbifera. I am only about
half way there when

Secularist

Bushes of succulent fruit

Bacate - ^{It has fruit subtended by a succulent mass}
Pennis - Ray paper - Linn.

2 Long, slender, orange lemon

2. Rpo Cucurbitaceae = Gigantia Berries = A firm
 (Giant) watermelon / to the
 upacous

Lupacous it seems to be
1 large paper - Cherry - flower
cocoa - nut

2 $P_{\text{time}} = \text{Apple per shell}$

Dry Simple fruits dehiscence

Sapindus folicle X P... Legume

Platanus umbelliferous P... Legume

Achene of Struthium folicle X Bryonia Struthium

Deciduous dehiscence

2 Caryopsis X Caryopses

dehiscence from above

While Achenes can be separated from the outer covering from the seed proper
In The caryopsis, the seed proper is attached to the outer coat

that the inside of the scales

I noticed when examining
the flowers of *Loa foetida*
collected at Forked river, had
~~it to the~~

the flowers of *Loa foetida*
collected at Forked river

the flowers of *Loa foetida*
collected at Forked river

the flowers of *Loa foetida*
collected at Forked river

coming down right fast.

The journey from Philadelphia
was without any incident
at Trenton the ^{train} from
Phila was detached from
the New York train and
coupled to the Baltimore train
~~at Trenton~~. The latter road
roadbeds are glorious with
dots and gold marks.

A little blue aster with
linear leaves I suppose it.
linear-leaved as plantain
along the roadbeds.

When at New Brunswick
I decided to go up along
the base of the cliffs to the
summit down which we
descended last spring and
where we found *Cystopteris*
bulbifera. I saw only about
half way there when the

am arrested my progress
 I am getting scarce
 I found several nice
 things so far among
 which are *Solidago* *Spartanum*
Spartanum - both described
 as rather rare. I saw one of
S. latifolia L. & the
conyzoides and another
 one which I have not described
 yet. *Eupatorium* *apertum*
 is very abundant, and
 all around in front of me
 as I write these large
 white conjoints of flowers
 are blowing, under the
 weight of the rain.
 Despite the miserable
 weather I am in good
 spirits. Life is sweet, and
 I think it is more so

to the naturalist who
possesses the key to all the
mysteries of nature. How
pleasant it would be if
one could exist without
company in contact with
civilization. To live with
nature among her wilds.

But I think that contact
with agreeable and dis-
agreeable is good, because
then we see the contrast
and value the beautiful
the more.

Last week we went
to Cassin's creek some
of the most streams of
amuse then found here
been swimming in my
bath, ever since. The
morning, while it is still
a greenish brown stuff.

front of the building
 and played some sacred
 music harmony which
 some ye disconcerted
 was one of the pieces.
 The solemn strains of
 that rich selection are
 dwelling in my head yet.
 To wander I feel good
 here with the magnifi-
 cent cliffs towering over
 and above me, rich in
 Indian legends, with
 beautiful wild flowers
 at my feet, while through
 the leafy screen of trees
 skirting the rock and
 cuneil, the broad Dela-
 ware is seen, flowing
 towards the sea with a grand
 and the

The Jersey side, on
many rounded hills,
mostly one above another,
some covered with trees
while others are cultivated
each field with distinct
color of its own brown
green, or yellow. remind
one of some gigantic
checker boards.

My room in the hotel is
at the back part of the
building looking out upon
the cliffs. I will soon
have a view of nature
the day on my route on
the Great Railway.

It is raining by now
and I must have better
go back and get off.

Hockanum, Sep. 23 '93

- 1 *Eupatorium aquiloides*
- 2 *Aster sagittifolius*
- 3 *Solidago latifolia* L.
- 4 *Solidago odora*
- 5 *Asplenium marginale*
- 6 *Thalictrum flavum*
- 7 *Asplenium trichomanes*
- 8 *Solidago canadensis* L.
- 9 *Solidago speciosa* Mill.
- 10 *Aster multiflorus*
- 11 *Asplenium adnigrum* L.
- 12 *Helianthus divaricatus*
- 13 *Labella ~~sp.~~*

Sept. 24

- 14 *Asplenium adnigrum*
- 15 *Asplenium adnigrum*
- 16 *Asplenium adnigrum*
- 17 *Asplenium adnigrum*
- 18 *Asplenium adnigrum*
- 19 *Asplenium adnigrum*
- 20 *Asplenium adnigrum*

- 21 Phacelia heterophylla -
- 22 Echinanthus discipulatus -
- 23 Pastinaca sativa -
- 24 Schilleria multiflora -
- 25 Verbascum thapsus -
- 26 Aspidium marginale -
- 27 Galium aparine ?
- 28 Hieracium -
- 29 " polyphyllum -
- 30 Hieracium vulgatum -
- 31 Geum parviflorum -
- 32 Ranunculus lobatus -
- 33 Saxifraga oppositifolia -
- 34 Pelargonium -
- 35 Urtica -
- 36 Senecio poliflorus -
- 37 Fragaria -
- 38 " -
- 39 Paronychia dichotoma -
- 40 Brunella maritima -
- 41 Solanum -
- 42 Urtica dioica var. procumbens -

Marionville had Holmstrom on R.

Sept 24, 1872

9. P.M.

This morning I went over
the hill to the swamps at the
foot of the great plateau.

I found several interesting
plants. On returning I intended
to come down the ravine
which we came down last
spring, but went about a
mile further south in
pursuit, and came down
a very steep ravine just
at the upper end of Hunter
ville. The descent in
many places was dangerous,
and in some places the
water leaps over a ledge
or falls 20 to 40
feet high.

Had I gone up at first
I would never have allayed
all the descent. I noticed
plenty of other specimens
but not fruit.

Cystopteris bulbifera
which we noticed in the
ravine last spring. I did
not find I tried to look
that ravine about with
out success.

On reaching the hotel, I
found there a very in-
telligent man, a German
whose place is about 20
miles from here. He
stayed with us to dinner.
He is an enthusiastic
archaeologist of the region
and has a wonderful collection
of the natural objects.

In the course of the

conversation he said
that the scene before us
on the Jersey side was
the site of one of the greatest
of Indian battles.

There were two tribes of
Indians inhabiting the
banks of the Delaware.
The Lenapes on the Pa.
side and the Powhassans
on some rock mound on the
Jersey side. They had
a dispute about the right
of fishing in the narrow
strait between Long Run
up to near Rye Hill
which was their usual
to the ^{first} of the fishing
ground. The two tribes
at Long Run for some
years. ~~at the same~~ ~~at the same~~

one day, the Europeans
several hundred strong
crossed the river, and
were met on the level
land on the other side
by an equal number of
the other tribe. Then
they fought a fearful
battle to the death, until
the sun descended on the
bloody scene. The slaughter
had been so great that only
a handful of men on either
side were left that were
left of the hundreds that
were, before the fight began.
A man named Lamb
who owns the site and
other land about there
that his grandfather
for many years used
to prop up the posts

for his fence posts with
the dried skulls which
he placed up in the field

Continuing the conversation
he stated that arrows
heads, stone hatchets,

sound stones with holes
in the center (I forgot the name for
these) for holding down
fishing nets, shells
pottery and other articles
are commonly found.

There is a regular Indian
quarry several miles down
here at Ducktown where
they make their arrow-
heads and fish bones
and other articles of use
to them. There is another
quarry about 10 miles
below here.

He also told of an
Indian chief one of the
last of his tribe, who
owned thousands of acres
of land all around his
band who was persuaded
to sell his lands to some
of the white settlers.

He went away for
a few years but
finally came back and
settled along the cliffs.
He passed his remaining
years hunting, trapping
and fishing. And when
he died his people buried
him at a point between
the river and the creek
just below the stone
bridge from Henry's.
The spot is to this day
called the Indian's

burying ground.

Just about 200 yards below this was the Indian pottery, where many fine specimens and fragments have been found. It is situated on the speakers property. He pointed the spot out to me later in the afternoon, when ploughing here it is very common to turn up fragments with the Indian warriors on them.

After dinner I went down along the river, but had to hunt for some hours of time for the Indians. But the small company had no more

everything down along
the banks where it
grows. There is plenty
of it coming up again
but they are all young
plants. I secured
several young plants
for Louis Schmeider.
Returning to the hotel
I left my traps on the
porch and then went
up the glen behind
the barn. I followed
a path which I imagine
must have been of
Indian origin as it
leads to the highest
and clearest part of
the glen such a place
that in winter there
would never be any
bathing about.

After supper I took a walk
 along the ~~cliffs~~ base of the
 cliffs for about a mile
 and sat down on a log,
 and remained for nearly
 an hour. Of course it
 was dark but I could
 discern the outline of the
 cliffs. What a wonderful
 place. I could almost
 imagine a troop of bears
 coming along with scalp
 etc. No wonder the
 old Indian chief regretted
 his bargain and returned
 again to his beloved
 wilderness, the home
 of his forefathers, and which
 was their happy hunting
 ground. This was early
 home and where the

learned to know water
first. I live like a
true child of the forest
would be hunt and
spend the remainder of his
days until death over-
took him.

I could almost have
been a hermit and live here
all alone myself.

When I returned I found
on the canyon far white
then have fresh snow and
new snow water of
water. I have opened the
shutters wide and pulled
the bed closer to the window
so that when I awake in
the morning I can look
right up the beautiful cliffs
at the rocks covered with
lichens mosses and ferns.

Aug. 1893

Some plants observed in
Scotland. July and Aug.
1892 By the Rev. Edward
S. Marshall, M.A., B.D.

James Britton. Esq.
18. West square. Southwark
S. E. London Eng.
Editor, Journal of Botany

Centrosema Virginianum

This beautiful ^{beauty} flower-
plant was found by Mr. H.
C. Smith several years ago
at Amylesea N.J. at a
point about 50 yards or so
N. West from the hotel opposite
the station on the edge of the
salt marsh. Mr. Smith
told of his discovery to Dr
Britton, who in turn
gave the information ~~many~~

32

to Frank Bassel, nursery
man, Hammondtown N.J.

It seems that Bassel set
to work and dug up the
plants. I do not know
if he took any seed to raise.
but it is said that he
cleared over \$800.00
in one season from the
sale of the plants which
he no doubt advertised.

When we were at
Anglesca on Sept. 17. last
we researched the locality
well. Dr. Millar, Messrs
Galm and Schneider had
all seen the plant growing
and flowering ~~in~~ before
in this spot and were
sure they knew it well

but there was not a
vestige to be seen not
even a pool. The pools are
about 4 inches long.

We came to the conclusion
that the plant was exterminat-
ed, and judging from the
facts already known and
stated, readily concluded
that our thanks were
due to Mr. Basset for
thus despoiling the locality
of this ~~gorgeous~~ ^{beautiful} flowering
plant. This comes of
telling localities of rare
plants especially to a
florist, and we ~~owe~~
our obligations to Dr.
Brinton for his very
earnest effort at clearing
up our edge.

It is much to be

regretted that this spirit
is beginning to make it-
self manifest among our
American Botanists.

That of hunting up rare
plants ~~and~~ ~~building the~~
~~Corollary. I mean that~~
~~it is not a mere~~ ^{and} still
exterminating them
so that no one else can
get them. It is very
common in the old
world. In fact it is
no new thing to read
in the columns of the
"Gardener's Chronicle" "Long
The Garden" of London
"Journal of Botany" etc.
etc. of certain plants being
exterminated from

localities where they were
once known to be abundant.
Some are so foolish
as to give localities, thus
giving the impetuous collectors
to swoop down and
gobble the rarity up.

One case is fresh in my
recollection of a plant
in the North of Ireland,
where the locality was
given. As usual it was
scooped up, and one
collector was so mercenary
as to collect such a quantity
as to practically exterminate
the species, and then shortly
after advertise ~~the specimens~~
for sale. He, when accused
of course, denied it, but
the spirit still lingers
in the hearts of many.

to try and possess that
which others can't get.
Thus the less specimens
there is of the plant the
more value is set on
them.

We ought to try and
cultivate a broader
feeling on this side of the
ocean. If we study
nature just for the love
of nature, then for the
love of it, we should not
despoil her of her beauties.
And when one finds a
rare plant, instead of
securing a specimen or
two besides numerous
duplicates, if their number
be few, we should help

... time to disseminate
these species, and become
more or less thoroughly
settled before we let
our friends know.

Our motto should be
that which is the basis
of this great nation's pro-
sperity viz: - "Live and
let live"

Sept. 26/93

Sunday afternoon Oct. 1, 1892
West Hill

1. *Senecio*

2. *Helianthus scaberrimus*

4.

5.

6.

7.

8.

9.

10.

Saturday of June 1887. 7. 33.
2nd Floor

2

2. 7. 33. 7. 33. 7. 33.

1. 7. 33. 7. 33. 7. 33.

1

1. 7. 33. 7. 33. 7. 33.

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

George Malthouse

Laboratory

Royal Botanic

Glasgow College

next room to the left of the
Call on Edmund 7 Kirk
stationer
1760 W. 3rd St.

concerning folios for choir
music. also inquire about
making copies for it collection

to form specimens.

Call on Mr. Collins.

Collins & Co.

15th & Chestnut. and

get 50 labels printed for
the New Mexico plants.

Call at some of the
auction rooms. and
hunt up a brookcase

~~get 600 Scum covers.~~
" 150 paste boards
for outer boards.

get X ruled paper to
cover boards.

Thursday Oct. 12. 1893

Solidago sempervirens.

In West Philadelphia.

A little more than
three weeks (Sept. 16). I found
a *Solidago* growing on
the waste ground at
Sansom and Cleadow St.

It was a tall plant and
had light green fleshy
leaves. The flowers were
still in the bud state.

As the plant was some-
what peculiar to me in
such a situation I
wished to write it.

(3)

I suspected at the time that it looked like *S. sempervirens*. but how could this species get here what its native habitat is the salt marshes and low grounds along rivers near the sea board. usually damp ground.

However such was the only description it could answer to, when I collected the flowers, 2 weeks later. I ~~have~~ examined it again last Saturday, Oct. 7. and confirmed my former decision.

There are 3 clumps of plants, of about 4 to 5 plants in each. One

clump of plants. at the
end of the broken fence
had three flowers all
scorched by a fire of buck
wood. there are 4 to 5 feet
high. The next clump
is about 15 feet south
under the fence. But these
had had their beautiful
golden yellow flowers
plucked off. I was
fortunate in getting one
fairly good specimen
which had been broken
down. and thus the flowers
were hid in the herbage
surrounding it. These
plants are smaller about
3 feet high.

The last clump is
about 10 feet east of the
second clump and

are well developed plants with base and stem leaves green and full grown. They are not so tall as the others.

All of them are growing in ashes or dirt in which coal ashes largely prevails, and have a healthy look to be in such a dry position.

If they are *S. sempervirens*, the only theory I can suggest as to how they got there is:— that some one brought a bouquet from the sea shore? and when it had dried up and lost color, it had been the same as the rubbish

and eventually ended up
and dumped here; where
the birds kept a foothold
after Mr. Shaw. J. 10/24

Sat. Oct. 14. 1893

This afternoon I went
out to Lambolow to see
Dr. Alex. Fairman. His home
is a neat little stone
house below Winrock's
greenhouses, about 1 square
mile from the station.

His sister responded to
the door-bell, and after
a short wait while she
got ready, we went through
the woods, to where the
Professor was at work. We
were accompanied by
his two little sons, Alister
and Ernest, very lively

39

and romping young
chaps.

Arrived at noon he was at
work in one of the fern houses.
he showed me his sensitive
plants and the results of his
studies and investigations
as to their movements.

Curious pudice. when
one of the leaflets of ~~one~~ of the
pinnae was stimulated and
waiting two or ~~three~~ seconds
the leaflets began to close
face to face. The curiosity was
the flushing of the pinnae
or small swelling or enlargement
close under the insertion of the
leaflets as the disturbed sap
or bio-plasm traveled down
the midrib. When it reached

the last pair, there was a sudden cessation of motion for a few seconds, then all of a sudden the petiole dropped down, after which the other primordia closed almost simultaneously. In waiting for the leaves to the return to their normal condition the 4th said that those nearest the cotyledons reopened soonest - usually, above 5 minutes. The other leaves varying from 2. to 3 minutes from the one below until the last or those preceding the flowers which took from 12 to 15 minutes to regain the normal position.

These phenomena were much regulated by the

(40)

temperature and amount
of air prevailing in the
houses. The motions were
more pronounced in high
temperatures.

Schombria angustata Hb.
was also interesting,
in showing the travelling of
the disturbed element down
the leaflets of the plant.

It was remarked in this
plant, that whichever side
was disturbed or stimulated,
the leaflets on that side
were the first to move upward,
then the one opposite, &c. &c.
alternately, beginning on the
disturbed side, until the base
was reached.

Oxalis (*dendrobium*?)

had a peculiarity in -
so - much that the coty-
ledons had a contrary
movement to that of the
regular leaves. While the
cotyledons moved face to
face the others moved back
to back. He has made
a series of photos. showing
the leaf movements of
this plant from early morning
to late evening. These
he exhibited at the last
meeting of the Bot. section,
A.M.S. and also described
fully the actions of the
plant.

Other Other species of
Oxalis and *Phaseolus*
were cultivated which
illustrated the sensitive
movements when touched.

(41)

to a more or less degree.
Prof. ~~Albee~~ Farlane has
studied the subject very
well, and I expect he
will explain some im-
portant points in regard
to movements of β bioplasm
as exhibited in those
sensitive plants.

Leaving the houses
we rambled about here.
He showed me the long-
leafed *Amphicarpaea*
Monroica Walt. A hill
near here had been full
of it, but hogs had recently
rooted the plants up to get
at the underground parts,
which they like very well
and can find especially well.

The plant is evidently
not inappropriately named.

We found lots, however
at a spot further away,
from the bog feeding ground
and collected a number
of specimens. I found
out since I came home
that the manual states
that only one of the fruits
is rarely ripened. (the
aerial form) and that
the underground fruit is
rarely more than one to
each filament. I have
specimens showing both
fruits on one plant.
also a plant with two
fruits on one filament.

I collected near here
Flowers of *Hamamelis*
virginica, also *Sparganium*

42

nearer the house we
found a *Polygonum*
I forget what he ~~call~~
called it. I can't place
it in the manual.

It is an erect plant
with axillary racemes

The leaves deep green
ovate. truncate at base,
etc.

~~He~~ showed me a little
glass house he had built
to keep plants for study
during winter.

At supper I met his
wife and also his mother
a very nice old lady.

After supper we retired
to the parlor and talked
botanical lore until
about 8. P. M. when

I left to get the 8.15 train
for the City. I had a
most pleasant and
instructive afternoon,
and we hope to meet
again, for another talk.

I collected on the way
to 49th St station ~~the~~
twigs of the chestnut with
the involucre attached.

also *Solidago sempervirens*
from Cleator St.
already mentioned on a
previous page of this note
book. which Dr. Allen
Tarlton confirms to be true.

10/14/93 / 1/16/94

Williamson School

Del. Co. Pa.

Sunday Oct - 15 / 1892

Left for 6:45 AM

for night 63 mi

In the morning told me
that I could get
the fossils from the
Williamson school. I
found them in the
crinoid at Williamson
but searched in vain
for *Leptæna*
full second form of
Aster.

Leptæna

Aster

Leptæna

Leptæna

Leptæna

In the last number of the
"Garden & Forest" (Oct. 18th 1893)
there is an article on the genus
Halesia by Ch. S. Sifton, in
which he proposes to change
the name *Halesia* to
Allobria after Dr. Charles
Mohr of *Allobria*, *Allobria*.
His reasons are that

Halesia was adopted by
Bonpland for a West Indian
species ~~which~~ *Genus* 1753
(*Cro. & Nat. Hist. Jamaica*)
which genus had already
been established by Linn.
under the name of *Guettarda*.
1753 on a Javan species.
^{specimens of}
A *Halesia* as we know it
^{was first}
~~was~~ ^{first} named to Dr. Ellis, by
Dr. Gardner of Charles. Town
S. Carolina. Ellis in turn

sent a specimen to Linnaeus
1746 or 57 proposing the name
Halesia, from Dr Stephen Hales
author of "Vegetable Statics" etc.
which was accepted by Linnaeus.
~~not published as such in his~~
Syst. Nat. 1759

¹⁷⁵⁵⁻
Halesia Browne thus antedates
Halesia. Ellis. ¹⁷⁵⁹ by 4 years
Prof. Britton claims that
the latter name is a homonym
and cannot therefore stand.

I care not what he
claims, I think it is
absolutely absurd that the
name should be upset,
after having been in use
now over 134 years and
applied to one plant only and
one which has no other
synonym. Not only that

not the fact - that it is known
all over the world and cult-
ivated under this name.

No nurseryman's cata-
logue is complete without
it: and is always described
as ~~the most beautiful~~
native flowering shrub.

It is simply ridiculous,
to propose any other name
as *Linn.* ^{May 30, 1759} says: "If a genus
once well established be
liable to alteration there
can be no certainty in
botany."

Mikania. Swartz.

M. thurifera

M. Schultzei

Small genus of elegant ferns

The above two species are in
cultivation. Native of S.
Africa.

Saturday Oct 28th 1893
Short Hills, N. J.
Pleasant & Wanda's collection
of Bryozoa
from the coast

When I visited Dr. H. S.
Farlow at his house on
Oct 14 he said that he had
had an invitation to take
a group on private exhibition
at Short Hills N. J. and that he would
like to have me go along with
him. A few days before you
wrote me telling me that
they had made up a party
to go on one ticket which
would be much cheaper.
There was 16 in the party.
Including them Pennock,
Hickman, Wushberger, Rand

James, his, family, short and
sister, Misses Westman
from the city.

We traveled for the P.R.
as far as Westman has
taken the train through
the center of the town to the
Glenn Lumber Co. and
Western P.R.

We got a train here which
landed us at Short Hills
about 10 A.M.

The approach to the museum
is through a beautiful park
thickly planted with trees.

The houses here as it were
on a hill facing the street.
The heating apparatus is in the
center. The packing house runs
east of this while the office
runs west. South from the
boilers as a center runs the

large palm house, which contains magnificent specimens of various palms. In this house is the famous avenue of tree ferns. These are simply magnificent. There are three rows of these many are in tubs. but the largest ones in the centre of the house are planted right in the ground. The trees are all beys and from base to nearly 2 feet in diameter branching off from the base are smaller ones which are twin palms. ferns etc etc.

North of the office are the chimpanzee range the are large well built houses 25 X 200

Over the hill are the
Orchid houses 21 in number.
There were many orchids in
bloom, but not as many
as would be in flower
in the spring.

Across the R.R. they
have the herbaceous garden.
These are cultivated in
rows, oblong beds,

At the lower end of this
place is a small pond
with swampy margins
in which lilies are planted.
It is said that in spring
this place is gorgeous.

There are many water plants
in the pond. At seasons
of the year however there
is not much to be seen
outside.

417

Catalogue of specimens collected
at Forked River N. J.
Sept. 2-4, 1893
(continued from page 18.)

- 85 *Aster tenuifolius* L.
- 86 *Statice Lincomium* L. *Verbascum*
- 87 *Salicornia herbacea* L.
- 88 *Polygonum maritimum* L.
- 89 *Atriplex patulum* Das *hastata* Z.
- 90 *Gerardia muricata* Raf.
- 91 *Pluchea camphorata*, D. C.
- 92 *Kosteletzkya Virginica* Gray.
- 93 *Spartina polystachya* Willd.
- 94 *Baccharis halimifolia* L.
- 95 *Polygonella articulata*, Alluon.
- 96 *Viburnum cassinoides*, L.
- 97
- 98 *Sagittaria variabilis* Engelm. *S. gracilis* Eng.
- 99 *Lilium superbum* fruit. Manchester
- 100 *Pontederia cordata* "
- 101 *Saponaria officinalis* " }
- 102
- 103

P. H. Manchester
 Sept. 4, 1893

- 104 *Sanacenia purpurea* L
105 *Lycopus sessilifolius* Gray!
106 *Scirpus subterminalis* (Muhl.)
107
108

48

Plants brought from New
Mexico by Mrs D. W.
Collins. Collected July 1893.

Last June Mrs Collins
wrote me saying that she
was going on a journey to
New Mexico to the home of
her Indian protégé, Eliphalet
Bailey, and that she would
collect ^{some} ~~a few~~ plants for me
whenever she would get
a chance.

Accordingly I fitted up
a light weight portable
botanical press containing
a supply of driers and folders
and gave it to her, also
directions as to collecting &
pressing etc. etc.
She left Phila. on

^{Albuquerque}
July 4. and arrived at ~~Santa~~ ^{where she stopped 2 days}
~~Fe~~ about 4 days later. She
then pursued her journey
to Laguna which is the
nearest station on the S.
Pacific R.R. to the village
of Paquate (pronounced
pōwēta) where Miss Bailey
father and relations reside.
This place is about 20
miles from Laguna.

At Laguna Mrs Collins
made her first collection
viz. on July 11th and on
the same day according to
the labels she arrived at
paquete. where she also
made collections.

The weather was very
warm and she suffered
somewhat, besides being
unable to converse with

the natives, it was very
inconvenient. Miss Bailey
~~also being so~~ ^{as to have} ~~and~~ unfortunately ~~so~~ ^{lost} her
mother tongue, it being
about 8 years since she first
left her home.

This 13th of July sees Mrs
Collins back at Laguna.
(She came back to Laguna on the 12th)
according to the dates on the
specimens.

Apparently they made a
second trip to 'Paquete' as
the Alfalfa specimens are
dated 'Paquete July, '81'

On July 20 we again find
them ^{at Laguna}, or I should say Mrs.
Collins only, for I believe
she left Miss Bailey with
her parents.

On the 29th Mrs Collins
was at Santa Fe. where
she is at the Indian

nut pine, or juniper and other
plants. I understand that
Miss Bailey not liking the
~~present~~ circumstances of
her being again united ~~with~~
under the paternal roof-
tree, took French leave and
joined Mrs Collins at Santa
Fe. I cannot trace the his-
tory of their wandering ^{after} ~~from~~
the 29th of July which was
the date of the last collecting.

When Mrs Collins arrived
home in August I called
upon her and received the
plants. I was not able to
do much with them until
recently owing to a lack
of time and references.

I took them to the st.
W. S. and with the aid
of the excellent botanist

there, and some hints
as to Identification from
Prof. Thomas Cliburn and
Mr. Redfield the curator
I made them out to be
as follows in the list.

I had also occasion to
refer to the following works
"Gray's Manual of Botany"
5th edition, edited by Watson.

Gray's synoptical flora
of the U. S. north of Mexico
Boulter's Rocky mountain
Flora. By J. M. Coulter.

This work is very incomplete
and wants to be revised.

Young's Botany of Texas

List: —————

1. *Hoffmannseggia Jamesii* H. B.

Identified by means of the small
sandy black plants with green

the leaves

2 *Eleocharis integrifolia*, F. & S.

3 Euphorbiaceae?

A small woody plant
branching freely,
growing from six inches to
a foot high. The leaves are
small and oval, some opposite
and others alternate, densely
whitish tomentose. most
of these plants have this
hairy appearance.

Mr Collins said this was
almost the only green plant
near the spring. Coll at
Piquette.

4, *Mirabilis multiflora* Gay

5, *Suaeda Torreyana*, Watson.

Chenopodiaceae very
peculiar

6 *Senecio Douglassii*, D. C.

at very fully composite
plant with narrow leaves.

New Mexico (continued)

7, Datura meteloides, D.C.

~~Solanum~~ This is a near relative to the thorn apple of our rubbish heaps only the flowers are larger and finer nearly 8 inches long.

8, Gilia pumila, Nutt,

a very tiny plant with flory like flowers. ~~Polemonium~~

9, Solanum elaeagnifolium, Cav.

A very spring plant, Coulter describes 2 of this nature. one of which has violet colored flowers as in our specimen, but on comparing it in the herbarium I found Coulter's plant to have a very hoarid spring calyx and pinnate leaves, which is not our plant. This however

plant. This involves

the above name to the description in Gray's manual.

10, Oenothera punctifida Wats.

This also was a doubtful plant which I thought it was O. speciosa. but agrees better with the description of O. punctifida.

It is very pretty, having bright purple flowers which last but a short time.

11, Gnaphalium species?

I have not decided this yet. It is a very pretty little plant of the composite family with bright yellow flowers.

12, Taxetes lucida? Gas.
a very fine plant covered with a profusion of yellow flowers. The above name

is of the nearest description
to it. That *T. lucida*
is said to have but 3 ray
flowers while this has
five. hence my doubts

13. *Atriplex*. Sage brush

This plant had no
flowers and as there is
so many of this genus I
did not trouble hunting
it up. They are scattered
all over the country and
are chiefly characteristic
of the great sandy deserts
of the South west. They
possess a very bitter principle
hence cattle will not
eat them.

14 *Medicago sativa* L.

Alfalfa. The Indians
cultivate this plant
for horse feed by means

of irrigation. Mr Collins
says of it that the
roots of it will grow
6 to 8 feet underground
in search of water

15 Lupinus sericeus, Pursh

A very elegant plant
of the Leguminosae family.
It has racemes of bright
blue flowers succeeded
by silvery white pod
which are jointed across
showing the number of
seeds in each pod

Santa Fe.

16 Castilleja integra, Gray.

A somewhat trailing
plant sending up many
branches which are erect
these bear a profusion
of bright scarlet flowers
at the ends of the branches

53
which makes it very
attractive. ~~repulsive~~
Santa Fe

- 17, *Acenthobium Americanum*,
(American mistle toe,
A parasite on different
species of the coniferous
family. Mrs Collins
brought home specimens
of the two kinds, both
staminate and pistillate.
She thought the stam.
form, (the black form
was ^{one of the} dead, but as is
the way with nature
having performed its
part in the economy
of nature it ~~was~~ had
darker, leaving the other
to mature the
berries.

Santa Fe.

18. *Pinus edulis*, Engelm.

Piñon (Spanish)

Pinon or nut-pine
of the Indians. A very
interesting tree of the
Pine family. Prof.
Wichman thinks that the
nuts are remarkably
large. 19. Moss

This is all ^{29. inferior plant} that was
brought, except a small
moss, interesting as
being the only thing of its
kind in the vicinity.

The collection though
small is curious and inter-
esting, and well exhibits
the nature of the country in
which they grow.

The leaves are all reduced
in size as a rule, narrow

and sometimes mere scales.

They are also often covered with a hoary tomentose hairiness. This is apparently the result of environment.

The plants are mostly small an inch or so to a span high.

It is natural to suppose that ~~with~~ ^{on account of} the arid sandy desert where many of the plants were found that vegetation would be sparse and stunted, the leaves being small and the plants diminutive.

The hairy covering of the plants would very likely be a protection during the excessive heat of the day and a protection

against the cold of the
night. While this
is true with most parts
yet we find the flowers
often very brilliant and
profuse.

Especially is this so
in the Composite family
which has a good represent-
ation in the southwest
although the plants are
small yet the flowers
are wonderfully developed.

Instances of Composites in
this collection are the

Tagetes

Coreopsis

Aster

Senecio

This fact of starvation
and abundance of flowers
is quite interesting

Hugh Millar notices
somewhere in his
autobiography, the striking
appearance of a barren
district on the West Coast
of Scotland around the
lower slopes of Gairloch
of West Sutherland
and the Orkneys and
northern Hebrides.

particularly, of the amazing
abundance of wild flowers
while the lower parts of
the plants presented a
stunted and stunted
appearance.

And often when we
see the beautiful products
of the tropics we
are at first thought
tempted to think

that the tropics must
indeed be beautiful ^(with flowers)
But it is not so.

As we approach the
equator and more luxuriant
vegetable belts we
find that plants go
more to leaves, large
forms, and much
soft wood. The smaller
herbs ~~become~~ often very
small inconspicuous
flowers. Take for instance
the flora of South Africa
if over 150 species of
Palargonium described
I would venture to
assert that not more
than $\frac{1}{4}$ of these have
bright or conspicuous
flowers worthy of
cultivation. Offspring

56

we find magnificent
orchids, and many
beautiful flowers but
with so much luxuriance
of foliage that they
are comparatively scarce.

This I mean applies
to such places as has the
good measure of plants.

So that when we
approach the poorer
regions, either tropic
or temperate. Sandy
desert or barren hills
we find Nature making
a sport as it were and
producing abundance
of flowers out of all
proportion to the amount
of foliage produced.
The sandy deserts of

The Sandy coasts of
the West. Southern
Mexico are also well
represented in the genus
plant. Chiefly scarious
and the like. These
are usually thorny or
spiny plants and often
attractive flowers.

The

affalfa

Hoffmannia

Lupinus

belong to this group.

The others ~~all~~ have with
one or two exceptions bright
flowers. They are very
interesting.

Nov. 27. 1873

Henry H. H.

(37)

Cicuta maculata

I noticed that
while dissecting the fruit
of this that it has a
penetrating sweet aromatic
odor and fragrance. The taste
is the same.

collected at Foxhead
River Sept 3. 1893

11/21/93

Halesia Ellii

I wrote to Prof
Britton concerning his
proposition to ~~change~~
the name of this genus
to Allobrice, and stating
facts in the case.

I received an answer
from him in which
he admitted the
change, and stated

that he would have
it corrected in the
Garden and Forest
According to the report and
the correction appeared
but to make matters
worse he has suggested
instead the name
Chlorocadendron
such nonsense.

Mr Redfield the cura-
tor of the Academy's
herbarium got very
irate over it and at
the last meeting of the
botanical section
criticised Prof. Britton's
action very severely.

11/21/93

58

I noticed a splendid sunset
this eve. The sun, glowing
like a great ball of fire sunk
beneath the horizon at 20 minutes
of five. A few minutes
later the clouds in the west
assumed a magnificent
and glorious hue. They
formed as it were a great
arch over the setting sun
the inner line of which was
distinct. Within this arch
all was clear, but the sky
took on a pea-green color
and as if seen through a
golden atmosphere.

The clouds streaked along
to all points, the prominent
parts being lighted up
white the waves of the sea
just above the crown of the

and there was a dark
cloud the color of blood.
Its northern end had the
appearance of a dragon
head, and threatened
to swallow ~~the~~
a smaller cloud in front
of it. Even while I
looked the whole mass
got darker and the
small cloud became
absorbed. Beautiful
drapery hung along the
line of the arch, this
in turn became absorbed
then the whole mass
assumed a light brown
changing to sepia then
to blackness.

The change lasted but
about 10 minutes, but
how glorious it was

how beautiful.

57

Such a phenomenon often
shakes my doubts and
I ask myself is there not
a great Power behind it
all. Truly wonderful

"Even the heavens
show forth his glory"

Nov. 22. 1893

Monday Nov 27. 1893
I found a most the
most of the phenomena at the
time of the eclipse. I took
my binoculars and looked
at the sun. It was
very much magnified
and the corona was
very bright. I saw
many stars and the
moon was very bright.

at the early meeting of the
M.C. Co. We were in the
front of the building and
other members. The speaker
was Charles A. Johnson
of the M.C. Co. and he
said that the M.C. Co.
was a very important
organization and that
it was the duty of every
member to be active in
the work of the M.C. Co.
and to be a good example
to the other members.
He then spoke of the
importance of the M.C. Co.
in the work of the
church and the world.
He then spoke of the
importance of the M.C. Co.
in the work of the
church and the world.
He then spoke of the
importance of the M.C. Co.
in the work of the
church and the world.
He then spoke of the
importance of the M.C. Co.
in the work of the
church and the world.
He then spoke of the
importance of the M.C. Co.
in the work of the
church and the world.

While waiting for a
to the top of the hill I saw
but not down. I was not
at all on the same level
- more caused by the wind
playing around the great
buildings some of the
whirlwinds. These were
seen on the hill. The
clouds of dust and sand
in CROWD, the clouds of
dust in narrow and
fading up the hill and
faded on the hill and
collected at the top of
under part of the hill
they are ascending from
the hill. The hill is
the hill.

Feb 27/03

Went out to the old land
and saw a large number of
black like *Quercus* from
Florida among them
a small *Quercus* like
black like *Quercus*
and a few from the south
west corner. The tops
are bent towards the
north-east, and some
are broken. Some of
them had white
branches, and the old ones
and such as they were
were turned up, as if
reaching to grow in the
direction.

1/27/03

Long Island Sound
St. George's Mount
St. George's Harbor
St. George's Town

St. George's Harbor
St. George's Town
St. George's Mount
St. George's Harbor

St. George's Harbor
St. George's Town
St. George's Mount
St. George's Harbor

St. George's Harbor

St. George's Harbor

68

2 million 1140

1000 1140 1140

not 1140 1140

1140 1140


1140 1140 1140

1140 1140 1140

1140 1140

2150. *Phacelium* *sp.*
 2253. *Phacelium* *sp.*
 2426. *Phacelium* *sp.*
 3023. *Phacelium* *sp.*

Young of *Phacelium*



62

1

10

105

Count of Richardson

from Denver.

Illand. P. 5

not days

Wetzel

4041 Fildes St.

Intimate part,

Robert Brown

capenta

4861 Clever the West Phil.

Arthur Zeebo.

3221. W 17 St.

